






Amendments to the Claims

This is a complete listing of claims and supersedes all other listings:

1. (Currently amended) A method for producing a dendrimer having a structural repeating unit which is represented by formula (1) and which contains a linear portion including a thienylene moiety and a branch portion Y formed of an optionally substituted trivalent organic group, the method being based on the convergent method, characterized in that the method comprises reaction step 1 of converting α -position hydrogen of the thiophene ring of a thienylene-moiety-containing compound (a) for forming end moieties to an active group V_1 which undergoes Suzuki cross-coupling reaction, to thereby form compound (b) ; reaction step 2 of subjecting a compound (c) to Suzuki cross-coupling reaction with the compound (b) to thereby yield compound (d) , the compound (c) having a linear portion and a branch portion Y and having, at the branch portion Y, two active groups V_2 which undergo Suzuki cross-coupling reaction with the active group V_1 reaction step 3 of converting α -position hydrogen of the thiophene ring of the thus-formed compound to an active group V_1 which undergoes Suzuki cross-coupling reaction, and reacting the compound (c) with the active group V_2 , to thereby form a dendron of a subsequent generation; and a step of repeating the reaction step 3 in accordance with needs, to thereby form a dendrimer:







(wherein Z represents a single bond or an optionally substituted divalent organic group having no active group; each of R₁ and R₂ is selected from among a hydrogen atom, an alkyl group, and an alkoxy group; Y represents an optionally substituted trivalent organic group; Y₁ is identical to Y or represents an organic group having a skeleton identical to that of Y; W may be absent or represents an optionally substituted monovalent organic group having no active group; m is an integer of 0 or more; and each of V₁ and V₂ serving as active groups is selected from active groups which undergo Suzuki cross-coupling reaction, V₁ and V₂ being able to be mutually cross-coupled, and wherein V₁ is -B(OH)₂ and V₂ is -Br).

2. (Canceled)

3. (Canceled)

4. (Previously presented) A method for producing a dendrimer according to claim 1, wherein, in the case where a compound used in the Suzuki cross-coupling reaction is a thiophene organic boron compound containing boron, the thiophene organic boron compound is gradually added in a continuous or intermittent manner to a reaction system containing the other counterpart compound, thereby performing Suzuki cross-coupling reaction.

5. (Previously presented) A method for producing a denrimer according to claim 1, which further includes a reaction step of converting α -position hydrogen of the thiophene ring of a compound (e) produced through singly or repeatedly carrying out the reaction step 3 to an active group V₁, to thereby form a compound (f) ; and a reaction step of reacting the compound (f) with a compound (g) having Y₂ serving as a core, to thereby form a compound represented by formula (2):



(wherein Y_2 represents an r -valent organic group, and r is an integer of 1 or more)

U.S. Patent Application No.: 10/521,689
Filing Date: 21 July 2005
First Named Inventor: Satoru Obara

6. (Canceled)

7. (Canceled)

8. (Canceled)

9. (Canceled)

10. (Canceled)